

Multiroom Audio System

eISSOUND

1. Introduction



2. 90 Series



3. 100 Series



4. 400 Series



5. Audio-Domo



6. Accessories




7. Oqulto




8. Kb Sound



EIS Multiroom Audio System



Introduction



Power supply




Master unit



Face cover




Frame




Central unit

Introduction



Introduction



1. Introduction



2. 90 Series



3. 100 Series



4. 400 Series



5. Audio-Domo



6. Accessories



7. Oqulto




8. Kb Sound




90 Series

eisSOUND




Simplicity



90 Series

Central unit

eisSOUND



**Power supply
112 97**



**Master unit
091 X1**




**Frame
194 X5**



Central unit






- Easy to use:
 - Switch On/Off and Volume
 - 1W +1W over 16 ohms
- Easy to install:
 - Only 4 wires
- Good quality at a great price:
 - No FM Tuner
 - No Intercom
 - Control Units with cover plate included



90 Series

Wiring diagram

eisSOUND



1. Introduction



2. 90 Series



3. 100 Series



4. 400 Series



5. Audio-Domo



6. Accessories



7. Oqulto



8. Kb Sound



100 Series

eisSOUND



Our star product



Hesperia Hotel, Madrid (Spain)



100 Series

eisSOUND



3 Central units




4 Control Units

100 Series

Central units

eisSOUND



**Power supply
112 9X**



**Master unit
311 9X**



**Face cover
311 X1**



**Frame
194 X5**



Central unit

Model 311 91



- Two stereo channels of music from jack inputs
- Manual adjustment of audio levels

Model 311 92



- Four channels of music from jack inputs (2 – stereo; 2 – Mono)
- Manual adjustment of audio levels

Model 311 93



- One stereo channel of music from jack input
- Manual adjustment of audio levels
- One FM Tuner



Two-Channel Control Unit. Model 321 91

- 1W + 1W over 16 ohms
- MP3 player input
- Sleep function
- Remote control of central unit tuner
- Receives intercom calls
- Ideal and Do not disturb functions



Four-Channel Control Unit. Model 321 95



- Two-channel stereo and two channel mono input from central units
- 1W + 1W over 16 ohms
- MP3 player input
- Sleep function
- Remote control of central unit tuner
- Receives intercom calls
- Ideal and Do not disturb functions



One-Channel with FM tuner Control Unit. Model 321 96

- One channel input
- Stereo FM Tuner
- 1W + 1W over 16 ohms
- MP3 player input
- Sleep function
- Receives intercom calls
- Ideal and Do not disturb functions



Two-Channel with intercom Control Unit. Model 321 99



- 1W + 1W over 16 ohms
- MP3 player input
- Sleep function
- Acts as a remote control of the central unit FM tuner
- Receives intercom calls
- Transmits intercom with general calls
- Ideal and Do not disturb functions

100 Series

Control units

eisSOUND



Cover plate separated from control unit



Control unit
Model 321 9X



Cover plate
Model: 321 XX




Frame
Model 391 XX


100 Series

Wiring diagram


eissound



EMISION+RECEPCION DE LLAMADA GENERAL
GENERAL INTERCOM TRANSMISSION+RECEIPT
ÉMISSION+RECEPTION D'APPEL GÉNÉRAL
EMIÇÃO+RECEÇÃO DE CHAMADA GERAL
EMISSIONE+RICEVIMENTO DI CHIAMATA GENERALE
AUSGABE+EMPFANGMIT F. ALLGEMEINE
DURCHSAGEN



RECEPCION DE LLAMADA GENERAL
GENERAL INTERCOM RECEIPT
RECEPTION D'APPEL GÉNÉRAL
RECEÇÃO DE CHAMADA GERAL
RICEVIMENTO DI CHIAMATA GENERALE
EMPFANG F. ALLGEMEINE DURCHSAGEN



1. Introduction



2. 90 Series



3. 100 Series



4. 400 Series



5. Audio-Domo



6. Accessories



7. Oqulto



8. Kb Sound



400 Series

eisSOUND



Our high end product



Apartment building in Galicia




Plana Fabrega offices. Manresa

Multiroom Audio System

400 Series

Central units

eisSOUND



Power supply
112 9X




Master unit
414 9X



Face cover
414 X1



Frame
194 X5



Central unit

400 series

Central units

eisSOUND



- Stereo input with automatic adjustment.
- Alphanumeric keypad for menu and setting functions

Models:

- **414 91** without FM tuner
- **414 92** with FM tuner

Compact Models:



Models:

- **422 91** without FM tuner
- **422 92** with FM tuner

Six channels and intercom control unit. Model 422A1.



- 1,5W + 1,5W over 16 ohms.
- Audio input (MP3, discman...)
- Remote scan of central unit FM tuner.
- Intercom.
- Automatic response function.
- Baby-sitter function.
- Ideal and do not disturb functions.
- Bass, treble and loudness adjustments.
- IR remote control.
- Gradual illumination LCD Display.
- Languages.

400 Series

Control units

eisSOUND

Six channels, FM and intercom control unit. Model 422A2.



- 1,5W + 1,5W over 16 ohms.
- Audio input (MP3, discman...)
- Direct FM tuning.
- Intercom.
- Automatic response function.
- Baby-sitter function.
- Ideal and do not disturb functions.
- Bass, treble and loudness adjustments.
- IR remote control.
- Gradual illumination LCD Display.
- Languages.

Modular control units:



Models:

- **428 91** without FM tuner
- **428 94** with FM tuner
- **428 91 + 429 91** Keyboard + FM tuner
- **428 91 + 429 92** IR + FM tuner



Two channels and intercom control unit. Model 42891.



- *1.5+1.5 over 16 ohms*
- *LCD display*
- *Remote scan of Fm tuner of central unit*
- *Intercom with automatic response*
- *General, individually or by groups calls*
- *Alarm and sleep functions*
- *MP3 player, CD... input*



Two channels, FM and intercom control unit. Model 42894.



- *1.5+1.5 over 16 ohms*
- *LCD display*
- *Local FM tuner.*
- *Intercom with automatic response*
- *General, individually or by groups calls*
- *Alarm and sleep functions*
- *MP3 player, CD... input*

400 Series

Control units

eisSOUND



Four channels and FM ampliation module. Model 42991.



- *Always with control unit Ref. 42891*
- *FM local tuner with 20 FM memory pre-sets*
- *4 stereo channels (6 in total)*
- *Alphanumeric keypad for menu and setting functions: direct FM tuning, selection of zones...*


400 Series

Control units

eisSOUND



Four channels, FM and IR ampliation module. Model 42992.



- *Always with control unit Ref. 42891*
- *FM local tuner with 20 FM memory pre-sets*
- *4 channels stereo (6 in total)*
- *Operate with remote control device Ref. 42791*

400 Series

Control units

eisSOUND

400 & 400 modular series comparison.



422A1/A2
400 Series






42891+42991/92
400 modular series



42891/94


Model	Stereo channels	Audio input	FM tuner	Intercom	IR remote control	Output
422 A1	6	X		X	X	1,5+1,5W
422 A2	6	X	X	X	X	1,5+1,5W
428 91 + 429 91	6	X	X	X		1,5+1,5W
428 91	2	X		X		1,5+1,5W
42891 + 42992	6	X	X	X	X	1,5+1,5W
42894	2	X	X	X		1,5+1,5W

Compact control units



- 2 = Ro
- 4 = Am
- 91 = Bl
- 92 = Na
- = Ne
- 7 = Vio
- 10 = Ve
- 20 = Az
- = Ma

Modular control units



- 171 05
- 2 = Ro
 - 4 = Am
 - 91 = Bl
 - 92 = Na
 - = Ne
 - 7 = Vio
 - 10 = Ve
 - 20 = Az
 - = Ma

400 Series

Complementary units

eisSOUND



**Stereo Sound Input
Models 415 91 + 415 X1**





**Stereo Sound Input
Models 415 92 + 415 X2
(manual adjustment)**

400 Series

Complementary units

eisSOUND

Infrared Repeater Models 427 95 + 427 X5



cápsula emisora - transmission cap - capsula émettrice
cápsula emissora - capsula trasmittitrice - sendekapsel

1. Introduction



2. 90 Series



3. 100 Series



4. 400 Series



5. Audio-Domo



6. Accessories



7. Oqulto



8. Kb Sound




**Entryphone intercom
interface**

**Phone intercom
interface**

**Home automated systems
interface**

PC Interface





PC Interface



Model 434 91

Interface unit between 400 & 400 modular series and a PC.

Control from a PC of all the functions and adjustments of the control units and the central unit.

Telephone Interface



Model 434 92

This unit allows the connection of 400 & 400 series or 100 series systems to a telephone switchboard.


Ability to send calls from any switchboard extension to all control units of the 100 series or 400 series.




Telephone Interface. Model 434 92



With 100 series. Only general paging



Telephone Interface. Model 434 92



With 400 & 400 modular series.
General paging.
Individual paging.
Group paging.

Home Automated Systems Interface



Model 434 93




Interface unit between 400 & 400 modular series and the audio distribution integrated in a home's automated system.

This unit makes it possible to program an external system to communicate with 400 series system.

Format of recognized commands is ASCII characters using an RS232 9600 bps communication port.



Entryphone Intercom Interface




Model 434 94

Interface unit between 400 & 400 modular series and analog entryphone intercom or videophone.

Can be connected to 4 + n wires entryphones.

Selection of up to 6 bell tones.

Programming of zones or group as call destination.



1. Introduction



2. 90 Series



3. 100 Series



4. 400 Series



5. Audio-Domo



6. Accessories



7. Oqulto



8. Kb Sound



Accessories

eisSOUND



Versatility



Intercom microphone base



Model 135 03



Model 127 01



Model 135 04

Intercom calls from a console to any zone of a New 100 series or 400 & 400 modular series system.

It was designed for use in existing installations in stores, offices, waiting rooms, etc.

It is equipped with an audio signal generator for Din-Don tones and alarm signals.

Line connection device model. 12701 is used to connect intercom microphone base to the system.

Extension unit model. 13504 is used to make intercom calls up to 10 zones in 100 series system.

Accessories

Power supplies

eisSOUND



**30W Power Supply
Model 112 04
(Auxiliary power
supply)**



**8W Hidden
Power Supply
Model 112 98
(Independent
systems)**



**20W DIN Rail
Power Supply
Model 112 99
(Main and
auxiliary power
supply)**



**15W + 15W Power Amplifier
Model 132 03**



**5W + 5W Stereo Amplifier
Model 131 02**

Accessories

Loudspeakers

eisSOUND



5" wide band
Model 15602



5" + 3/4" two way
Model 15605



Two way wall mounted
Model 155XX



2" in-wall
Model 15393



2,5" ceiling
Modelo 156x7



2" ceiling
Modelo 152X7

Accessories

Loudspeakers


eisSOUND



5,25" waterproof
Model 16002



Square ceiling
Model 15902



Rectangular ceiling
Model 15904



Small wall mounted
Model 155x7



Large wall mounted
Model 15529



Subwoofer
Model 16121

1. Introduction



2. 90 Series



3. 100 Series



4. 400 Series



5. Audio-Domo



6. Accessories



7. Oqulto



8. Kb Sound




Oqulto

eisSOUND



Aesthetically perfect


Patented product



Multiroom Audio System


Oqulto

eisSOUND




Model 158 01

Multiroom Audio System



**Oqulto ® on plaster of
Paris panels, Plasterboard
panels, etc.**



**Oqulto ® on Mineral Fiber Panels
with metallic frame**

Oqulto

eisSOUND




**8W Oqulto amplifier
13185.**



**100V Transformer
Model 137 85**



**Filter 13788. For use
with other systems.**





Subwoofer 131 81

Oqulto

Wiring diagram

eisSOUND



Multiroom Audio System

1. Introduction



2. 90 Series



3. 100 Series



4. 400 Series



5. Audio-Domo



6. Accessories



7. Oqulto



8. Kb Sound





- ***Kbsound Basic***



- ***Kbsound Plus***



- ***Kbsound Select***



- ***Kbsound Premium***



- ***Kbsound 5''***

Kb sound Basic

eisSOUND



Speaker colour: white



COMPONENTS



- ***Remote Control Unit***
- ***Receiver to be placed in the ceiling (12mm Ø)***
- ***Audio Device with built-in FM tuner (1W+1W)***
- ***Two 2", 16 Ohm. Loudspeakers (65mm Ø)***
- ***10m parallel loudspeaker cable (2x0,5)***
- ***Antenna***
- ***Instalation sheet***

Kb sound Plus

eissOUND



***Speaker colour: white-black-
nickel-chromo-matt chromo***



COMPONENTS

Remote Control Unit with LCD display

Receiver to be placed in the ceiling (12mm Ø)

Audio Device with built-in FM tuner (1,5W+1,5W)

Two 2", 16 Ohm. Loudspeakers (65mm Ø)

10m parallel loudspeaker cable (2x0,5)

Antenna

Installation sheet



Kb sound 5"

eisSOUND



Speaker colour: white



COMPONENTS

Remote control with LCD display

Receiver to be placed in the ceiling (12mm Ø)

Audio Device with built-in FM tuner (1,5W+1,5W)

Two 5" 16 Ohm. Loudspeakers with ceiling grills

IR Receiver/transmitter in the speaker

10m. Parallel loudspeaker cable (2x0,5)

Antenna

Installation sheet

Kb sound Select

eisSOUND



Speaker colour: white-black-nickel-chrome-matt chrome



COMPONENTS

- ***Remote control with LCD display***
- ***Audio Device with built-in FM tuner (1,5W+1,5W)***
- ***Two 2" 16 Ohm. Speakers with ceiling grills***
- ***IR Receiver/transmitter in the speaker***
- ***10m. Parallel loudspeaker cable (2x0,5)***
- ***Antenna (76cm)***
- ***Installation sheet***

Kb sound Premium

eisSOUND

NEW

- 2,5" speakers
- White display



Speaker colours:

- ***White***
- ***Nickel***
- ***Chrome***
- ***Matt chrome***



COMPONENTS

- ***1,5+1,5W remote control***
- ***Two 2.5" loudspeakers (65mm Ø)***
- ***White display***
- ***White Face cover and frame for control unit***
- ***10m parallel loudspeaker cable 2x0,5***
- ***Power supply included***
- ***Antenna***
- ***Installation sheet***



Independent control unit with FM, 230 V



Stereo FM Tuner.

Automatic scan with seek and save of stations.

Sleep and ideal mode functions.

0,8 W over 16 ohm mono output.

230 V power (built-in power supply).



Type I Installation: Built-in with 2" loudspeakers.



Type II Installation: Surface unit with 2" loudspeakers.

eissound

www.eissound.com